

Dear Valued Customer:

In January 2009, the Parkway Water Company was purchased by the Brick Township Municipal Utilities Authority (Brick Utilities). Brick Utilities is pleased to present this summary of water quality delivered during 2012. The Federal Safe Drinking Water Act (SDWA) requires that utilities issue an annual **CONSUMER CONFIDENCE REPORT** in addition to other notices that may be required by law. This report details where Brick Utilities water comes from, what it contains, and the risks our water treatment and testing are designed to prevent.

While this report details results from 2012, our residents and customers can get water quality information that is updated periodically by accessing our internet site at www.brickmua.com.


Brick Utilities is committed to delivering a safe and reliable supply of drinking water to over 100,000 residents of northern Ocean County and Monmouth County. In the interest of improving water quality and system efficiency, Brick Utilities is currently evaluating some chemical treatment changes at our Water Treatment Plant. The changes include using a new chemical coagulant and a new corrosion control process. As always water quality will be Brick Utilities primary focus and we will enhance our water monitoring and testing programs during this evaluation period. If you have any questions regarding these potential changes please contact Brick Utilities at (732) 458-7000 Ext. 4220

**Brick Township Municipal Utilities Authority
Parkway Water Company
PWS ID# NJ1319007**

**James F. Lacey, CPWM
Executive Director**

**Board of Commissioners
Allan E. Cartine, Chairman
Joseph M. Veni, P.E., Vice Chairman
Patrick L. Bottazzi, Secretary
James Fozman, Treasurer
George Cevasco, Asst. Secy/Treas.**

**Alternates
John Ciocco
Edward J. McBride**



2012 Consumers' Water Quality Report

***The Brick Township Municipal Utilities Authority -
Parkway System
1551 Highway 88 West
Brick, NJ 08724-2399***

Presorted Standard
US Postage
PAID
Permit No. 7

Postal Patron

2012 Water Quality Report



Overview: In 2012, Brick Utilities continued participation in the Partnership for Safe Drinking Water, a national initiative to help achieve operational excellence in surface water treatment. The Partnership is a voluntary cooperative effort between the U.S. Environmental Protection Agency, AWWA and other drinking water organizations, with more than 200 surface water utilities throughout the United States.

Brick Utilities maintains a laboratory that is certified by the New Jersey Department of Environmental Protection. The laboratory, which has operated continuously since 1975, is a key component of Brick Utilities Comprehensive Water Quality Monitoring Program. The Authority conducts monitoring of its source water treatment process and finished water in excess of the number and types of tests that are required by state or federal regulations. The Authority believes that a comprehensive source water testing program is essential, considering that 74% of the water that is treated comes from the Metedeconk River. The river is fed by a 70-square mile watershed that is subject to both natural and manmade contamination, which can cause the quality of the source or untreated water to change.

Water Source: Parkway Water Company currently obtains the majority of its water from Brick Township treatment plant and Parkway Water Company’s Well No. 1A. Well No. 1A draws water from the Englishtown Aquifer and is used only in the summer. BTMUA obtains its water supply from Metedeconk River, Brick Reservoir, Potomac-Raritan-Magothy Aquifer wells and Kirkwood-Cohansey Aquifer wells. All BTMUA’s water supply is treated at their Water Treatment Plant.

The New Jersey Department of Environmental Protection (NJDEP) has completed and issued the Source Water Assessment Report and Summary for public water systems, which is available at www.state.nj.us/dep/swap or by contacting the NJDEP, Bureau of Safe Drinking Water at (609) 292-5550.

The source water assessment performed on our four sources determined the following:

Susceptibility Ratings for Brick Township MUA Source

Source	Pathogens			Nutrients			Pesticides			Volatile Organic Compounds			Inorganics			Radio-nuclides			Radon			Disinfection Byproducts Precursors		
	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L
Well No. 1A			1			1			1			1		1			1			1			1	
Wells – 11		6	5	7		4		7	4	7		4	7		4	7	4		7	4	7	4		
GUDI – 2	2			2						2			2			2			2			2		
Surface water Intakes - 1	1				1				1		1		1				1			1	1			

The table provides ratings of high (H), medium (M) or low (L) for each contaminant category. If a system is rated highly susceptible for a contaminant category, it does not mean a customer is or will be consuming contaminated drinking water. The rating reflects the *potential* for contamination of source water, not the existence of contamination. Public water systems are required to monitor for regulated contaminants and to install treatment if any contaminants are detected at frequencies and concentrations above allowable levels. NJDEP found the following potential contaminant sources within the source assessment areas for our sources: underground storage tanks, known contaminated sites, cemeteries, discharge to ground/surface water permits, storm sewer permits, landfills. If you have questions regarding the Source Water Assessment Report or Summary please contact the Bureau of Safe Drinking Water at swap@dep.state.nj.us or call (609) 292-5550.

Explanation of Violations - There were no violations

Variations/Exemptions: This water system was given a waiver by the NJDEP for exemption from monitoring for synthetic organic compounds (SOCs). SOCs include substances like pesticides, herbicides, and plasticizers. The waiver was given after the NJDEP performed extensive analyses on the Metedeconk River. Additionally, Parkway Water Company has been permitted to reduce monitoring under the Lead and Copper Rule as a result of successful corrosion control efforts. The 2011’s triennial sampling event demonstrated sustained corrosion control, allowing continued reduced monitoring.

Unregulated Contaminants: The U.S. Environmental Protection Agency (EPA) is working to resolve several scientific issues that will allow it to set cryptosporidium safety standards. The Authority’s testing performed on an annual basis in 2012 exhibited no detectable presence of cryptosporidium on any occasion. No precaution about the drinking water is currently needed for the general public. The Authority’s water undergoes extensive treatment to include coagulation, sedimentation, and filtration. Cryptosporidium is effectively removed by filtration, consequently no finished water delivered by Brick Utilities has ever shown any presence of cryptosporidium.

<p>MCL = Maximum Contaminant Level MCLG = Maximum Contaminant Level Goal NTU = Nephelometric Turbidity Units MRDL = Maximum Residual Disinfectant Level</p>	<p>Key To Table AL = Action Level TT = Treatment Technique ND = None Detected N/A = Not Applicable</p>	<p>pCi/l = picocuries per liter (a measure of radioactivity) ppm = parts per million, or milligrams per liter (mg/l) ppb = parts per billion or micrograms per liter (ug/l) MRDLG = Maximum Residual Disinfectant Level Goal LRAA = Locational Running Annual Average</p>
--	---	---

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer under going chemotherapy, persons who have undergone transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infection. These individuals should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium are available from the Safe Drinking Water Hotline (800) 426-4791.

2012 WATER QUALITY REPORT – PARKWAY WATER COMPANY – PWSID# NJ1319007

Contaminant	Violation Y/N	Parkway Well No. 1A	Brick Twp MUA	Unit Measurement	MCLG	MCL	Major sources in Drinking Water
MICROBIOLOGICAL CONTAMINANTS							
Total Coliform	N	0 %	0 %	% Samples	0	5% of monthly samples are positive	Naturally present in the environment.
Turbidity (1)	N	N/A	0.039 Max 100% samples <0.3 max	NTU	N/A	95% samples < 0.3 NTU TT	Soil runoff. Turbidity is a measure of cloudiness in the water. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants.
INORGANIC CONTAMINANTS							
Barium	N	0.04	0.04	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.
Chromium	N	65	ND	ppm	100	100	Discharge from steel and pulp mills; erosion of natural deposits.
Fluoride	N	0.16	0.05	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories.
Copper (2)	N	90th percentile: 0.09 0 sites > AL		ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits.
Lead (2)	N	90th percentile: 7.6 3 sites > AL		ppb	0	AL=15	Corrosion of household plumbing systems; erosion of natural deposits.
Nitrate (as Nitrogen)	N	0.20 range: ND-2.01	avg: 0.61 range: 0.22-1.39	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.
DISINFECTANTS AND DISINFECTION BY-PRODUCTS							
TTHM (total trihalomethanes) (3)	N	STAGE1 Running Annual Average 43.8 range: 24.4 - 73.3		ppb	N/A	80	By-product of drinking water disinfection.
HAA5 (Haloacetic Acids) (3)	N	STAGE1 Running Annual Average 28.9 range: 15.2 - 48.6		ppb	N/A	60	By-product of drinking water disinfection.
TTHM (total trihalomethanes)(4)	N	STAGE2 highest LRAA N/A range: 30.7-64.1		ppb	N/A	80	By-product of drinking water disinfection.
HAA5 (Haloacetic Acids) (4)	N	STAGE2 highest LRAA N/A range: 20.8-38.1		ppb	N/A	60	By-product of drinking water disinfection.
Chloramine	N	N/A	highest annual avg. 1.69 range: 0.35-2.10	ppm	4 MRDLG	4 MRDL	Water additive used to control microbes.
Chlorine	N	highest annual avg. 0.66 range: 0.37-0.91	N/A	ppm	4 MRDLG	4 MRDL	Water additive used to control microbes.
Chlorite	N	N/A	highest annual avg: 0.06 range: ND-0.64	ppm	0.8	1	By-product of drinking water disinfection.
RADIOLOGICAL CONTAMINANTS							
Alpha Emitters (5)	N	1.58	highest avg. 1.4 range: ND-5.6	pCi/L	0	15	Erosion of natural deposits.
Combined Radium (5)	N	0.99	ND	pCi/L	0	5	Erosion of natural deposits.

1. Turbidity is a measure of the cloudiness of water and is a good indicator of the effectiveness of the filtration system.
2. Lead and copper were tested in 2011, in accordance with permit requirements.
3. STAGE1 disinfection monitoring is no longer required and is superseded by STAGE2 disinfection monitoring.
4. LRAA can not be calculated since STAGE2 disinfection monitoring began during the second quarter of 2012.
5. The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Radiological monitoring was conducted by Brick Township MUA in 2008, in accordance with permit requirements. Radiological monitoring was conducted in the Parkway Water System in 2012 in accordance with permit requirements.

As you can see by the tables, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected. The EPA has determined that your water IS SAFE at these levels.

See advise about special populations and a source for further information on the next page.

Required Additional Health Information

To ensure that tap water is safe to drink, EPA prescribes limits on the amounts of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the **Environmental Protection Agency's Safe Drinking Water Hotline at (800) 426-4791**.

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may have been present in source water include:

(A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

(B) Inorganic contaminants, such as salts and metals, which can be naturally occurring or resulting from urban storm runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.

(C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, storm water runoff, and residential uses.

(D) Organic chemical contaminants, including synthetic and volatile organics, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

(E) Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

(F) Radon, which is a colorless, odorless, cancer-causing gas that occurs naturally in the environment. For more information go to <http://www.nj.gov/dep/rpp/radon/index.htm> or call (800) 648-0394.

(G) Disinfection By-Product Precursors, which are formed when disinfectants (usually chlorine) used to kill pathogens react with dissolved organic material (for example leaves) present in surface water.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration's (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Brick Utilities is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://epa.gov/safewater/lead>.

Special Considerations Regarding Children, Pregnant Women, Nursing Mothers and Others

Children may receive a slightly higher amount of a contaminant present in the water than do adults, on a body weight basis, because they may drink a greater amount of water per pound of body weight than do adults. For this reason, reproductive or developmental effects are used for calculating a drinking water standard if these effects occur at lower levels than other health effects of concern. If there is insufficient toxicity information for a chemical (for example, lack of data on reproductive or developmental effects), an extra uncertainty factor may be incorporated into the calculation of the drinking water standard, thus making the standard more stringent, to account for additional uncertainties regarding these effects. In the cases of lead and nitrate, effects on infants and children are the health endpoints upon which the standards are based.

LEAD: Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home plumbing. If you are concerned about elevated lead levels in your home water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline at (800) 426-4791.

National Primary Drinking Water Regulation Compliance and Other Monitoring

Brick Utilities is active in protecting the environment and community, and the health and safety of customers is this Authority's highest priority. This Authority welcomes questions residents may have about Brick Utilities and the quality of water. For more information, call **Joseph Maggio, P.E.**, Director of Water Quality, at **(732) 458-7000 Ext. 4220**. Water quality data for community water systems throughout the United States is available on the internet at www.waterdata.com.

An Explanation of the Water Quality Data Table

The chart on the preceding page provides representative analytical results of water samples routinely collected through 2012 from your water system. Please note the following definitions:

Maximum Contaminant Level (MCL): The highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements, which a water system must follow.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.